

NDC 64543-0350-90

Liquibid[®]D-R

Decongestant Moisturizer

Maximum Adult Strength

No antihistamine drying or drowsiness

Drug Facts

Active ingredients (in each tablet)	Purpose
Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal Decongestant

Uses

- Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
 - Temporarily relieves nasal congestion due to
 - Common cold
 - Hay Fever
 - Upper respiratory allergies
 - Temporarily restores freer breathing through the nose
 - Promotes nasal and/or sinus drainage
 - Temporarily relieves sinus congestion and pressure
-

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- Heart disease
- Thyroid disease
- High blood pressure
- Diabetes
- Trouble urinating due to an enlarged prostate gland
- Persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- Cough accompanied by too much phlegm (mucus)

When using this product

- Do not use more than directed

Stop and ask a doctor if

- You get nervous, dizzy, or sleepless
- Symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take with a full glass of water
 - This product can be administered without regard for timing of meals
 - Adults and children 12 years and older: one tablet every 4 hours.
 - Children 6-12 years of age: one half (1/2) tablet every 4 hours
-

Other information

- Tamper evident: do not use if seal under cap is broken or missing
 - Store at 20-25°C (68-77°F)
-

Inactive ingredients

Calcium phosphate, colloidal silicon dioxide, crospovidone polyplasdon, FD&C blue #1, magnesium stearate (veg), microcrystalline cellulose, povidone and silicified microcrystalline cellulose

Questions or comments?

(817) 595-5820