

NDC 64543-0340-90

# Liquibid<sup>®</sup>PD-R

## Decongestant Moisturizer

No antihistamine drying or drowsiness

---

### Drug Facts

Active ingredients (in each tablet)	Purpose
Guaifenesin 200 mg .....	Expectorant
Phenylephrine HCl 5 mg .....	Nasal Decongestant

---

### Uses

- Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
  - Temporarily relieves nasal congestion due to
    - Common cold
    - Hay Fever
    - Upper respiratory allergies
  - Temporarily restores freer breathing through the nose
  - Promotes nasal and/or sinus drainage
  - Temporarily relieves sinus congestion and pressure
- 

### **Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

---

### Ask a doctor before use if you have

- Heart disease
  - Thyroid disease
  - High blood pressure
  - Diabetes
  - Trouble urinating due to an enlarged prostate gland
  - Persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
  - Cough accompanied by too much phlegm (mucus)
- 

### When using this product

- Do not use more than directed
- 

### Stop and ask a doctor if

- You get nervous, dizzy, or sleepless
  - Symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.
- 

**If pregnant or breast-feeding**, ask a health care professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

---

### Directions

- Take with a full glass of water
  - This product can be administered without regard for timing of meals
  - Adults and children 12 years and older: one tablet every 4 hours.
  - Children 6-12 years of age: one half (1/2) tablet every 4 hours
-

## **Other information**

- Tamper evident: do not use if seal under cap is broken or missing
  - Store at 20-25°C (68-77°F)
- 

## **Inactive ingredients**

Calcium phosphate, colloidal silicon dioxide, crospovidone polyplasdon, FD&C blue #1, magnesium stearate (veg), microcrystalline cellulose, povidone and silicified microcrystalline cellulose

---

## **Questions or comments?**

(817) 595-5820