

Rescon GG Liquid

Drug Facts

Active Ingredients Purpose

Guaifenesin 100 mg.....Expectorant

Phenylephrine Hydrochloride 5 mg..Nasal decongestant in each 5 ml of clear, sweet-tasting liquid

Uses:

thins and loosens mucus in the eustachian tubes, bronchi, and sinuses relieves chest congestion
makes coughs more productive

Warnings -

Ask a doctor before use if you have:

- persistent or chronic cough
- fever
- rash
- persistent headache
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- emphysema
- glaucoma
- chronic bronchitis
- enlarged prostate gland

Do not use this product if you have taken a monoamine oxidase inhibitor (MAOI) within the last two weeks. If you are uncertain whether your prescription drug contains a MAOI, consult your doctor.

When using this product:

- you may experience dizziness, nervousness, or restlessness
- unusual weakness or trembling may occur
- avoid alcoholic drinks

If symptoms do not improve within 7 days or accompanied by fever, consult a doctor.

Stop use and ask a doctor if you experience chest discomfort or pain, fast or irregular heartbeat, or high blood pressure. If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

Adults and children 12 years and older: 2 teaspoonfuls every 4 to 6 hours; Children 6 years to

under 12 years: 1 teaspoonful every 4 to 6 hours; Children 2 years to under 6 years: 1/2 teaspoonful every 4 to 6 hours Children under 2 years ask your doctor. Do not exceed 4 doses in a 24 - hour period.

Other information: Store at 15C- 30C (59F-86F)

Inactive ingredients: cherry flavoring, glycerin, masking agent to enhance flavor, methylparaben, orange pineapple flavoring, propylene glycol, propylparaben, sodium citrate, sorbitol, sugar, and water.

Manufactured for
Capellon Pharmaceuticals, Ltd.
Fort Worth, TX 76118
NDC 64543-044-16